

EC TYPE-EXAMINATION CERTIFICATE: 1885

Product description: - Personal Eye Protection
Spectacles, goggles and faceshields


Product identification: - See certification schedule

Manufacturer: - MCR Safety
1255 Schilling Blvd W.
Collierville
TN 38017.
USA.

When assessed and examined against harmonised standard EN166:2001 are found to be in conformity with Council Directive 89/686/EEC and associated amendments, relating to personal protective equipment.

Authorised EU Representative: - Parmelee Limited
Middlemore Lane West
Aldridge, Walsall.
WS9 8BG.
UK

Signed:



Date: 23rd February 2018

Helen Taft, Certification Manager

For and on behalf of INSPEC International Ltd.
56 Leslie Hough Way, Salford, Gt Manchester M6 6AJ
England (Notified Body No: 0194)

Certification remains valid until 21st February 2019, providing compliance with INSPEC's terms and conditions is maintained.

Original date of issue: 20th November 2008



For terms and conditions of issue, see page 2

Terms and Conditions

Reference Documents: -

- i) Test Reports - INSPEC
08.06.107 – 112, 08.07.01, 08.07.23,
08.07.24, 08.09.22, 08.09.56 – 57,
09.07.23, 09.07.25 – 09.07.31, 09.07.02,
09.11.50, 09.07.86 – 09.07.89, 09.07.124,
10.01.24, 10.05.82, 10.08.48, 10.08.49,
10.08.50, 10.08.51, 10.09.01, 10.09.02,
10.09.79, 10.11.05, 10.11.72, 1.11.03.07,
1.11.03.08, 1.11.03.09, 1.11.03.10,
1.13.01.10 / 74, 1.13.03.37 / 38,
1.13.08.55, 1.13.08.55A, 1.14.07.62,
1.15.02.61, 1.15.07.21, 1.15.08.23,
1.16.01.05, 1.16.01.06, 1.16.06.30 rev 1,
1.18.01.29, 1.18.01.30 and 1.18.01.31
- ii) Technical File - TF/1885, TF/0873 and TF/1116.
- iii) Test and Inspection Plan - Kao Goggles / Spectacles August 2008.
Kao Faceshields August 2010.

Conditions attached to the issue of this certificate:

- i) Marking and instructions have been assessed in the English language only. It is the Manufacturers/Authorised Representatives responsibility to obtain and supply language versions acceptable to the country where the product is to be sold.
- ii) Any changes to the product, technical file or quality manual/quality plan shall be immediately notified to INSPEC.
- iii) The Manufacturer/Authorised Representative shall comply at all times with INSPEC's Regulations governing CE Product Certification.
- iv) This Certificate remains the property of INSPEC and may be withdrawn if any of the conditions attached to its issue are not complied with.
- v) This certificate may be copied or reproduced by the certificate holder, complete and without omissions or additions, and in accordance with INSPEC's terms of business.
- vi) This certificate has been provided in accordance with our standard Terms of Business, which can be viewed at, and printed from:

<http://inspec-international.com/ToB.pdf>

If you have difficulty accessing the Terms of Business, you may contact us for a copy.

CERTIFICATION INDEX

| Item | Status | Issued | Amendment |
|--------------|---------------|---------------|---|
| Pages 1 to 4 | Withdrawn | 081120 | Initial issue |
| Pages 1 to 5 | Withdrawn | 091013 | New models added |
| Pages 1 to 6 | Withdrawn | 101207 | Models 9800, SS110, SS112, ST120, TK110, S2110AF, TK112, KD319AF added |
| Pages 1 to 6 | Withdrawn | 110101 | Addition of CEEN104 headgear and faceshield S211AF corrected to S2110AF |
| Pages 1 to 6 | Withdrawn | 110318 | Addition of CEENST110, CEENST110AF, CEENST122 & CEENTK110AF models. |
| Pages 1 to 6 | Withdrawn | 130530 | Additions of CEENRP110AF / CEENRP112AF / CEENRP210ASF / CEENRP212AF. Terms and conditions updated. 5 year validity added. |
| Pages 1 to 6 | Withdrawn | 131023 | Addition of CEENRP218B Reaper, Swagger SR120, SR122AF, SR128B and SR148B models. |
| Pages 1 to 6 | Withdrawn | 140910 | Change of Authorised EU Representative and Manufacturer address. Addition of model names and CEEN prefix on pages 4 to 6. Removed models LW110, LW112, LW113, LW114, LW118 from certification schedule. |
| Pages 1 to 6 | Withdrawn | 150130 | Addition of test report 1.14.07.62 CEEN Bearkat BK110AF model. |
| Pages 1 to 6 | Withdrawn | 150323 | Addition of test report 1.15.02.61 and CEEN Fire v2 model. |
| Pages 1 to 6 | Withdrawn | 150907 | Addition of test report 1.15.07.21 and blue mirror and amber lenses to CEEN Fire v2 model. |
| Pages 1 to 6 | Withdrawn | 151020 | Addition of test report 1.15.08.23 and model CEEN LW210AF. |
| Pages 1 to 6 | Withdrawn | 160203 | Addition of test reports 1.16.01.05 and 1.16.01.06. Addition of ANTEOJO ATOX DALLAS and ANTEOJO ATOX BLACKKAT models. |
| Pages 1 to 7 | Withdrawn | 160725 | Addition of test report 1.16.06.30 revision 1 and Checklite CL110AF model. |

Pages 1 to 8

Valid

180223

Addition of models CEEN CK210AF, CEEN SS010, CEEN KD313AF and test reports 1.18.01.29, 1.18.01.30 and 1.18.01.31.

Removal of S2117

Extension of validity period to allow for transition to the PPER

CERTIFICATION SCHEDULE

Spectacles

| Model | Optical class | Impact level | Scale number |
|---|---------------|--------------|--------------|
| CEEN KD110 Klondike | 1 | F | - |
| CEEN KD11B Klondike | 1 | F | 5-3.1 |
| | | | |
| CEEN KD310AF Klondike Plus | 1 | F | - |
| CEEN KD310 Klondike Plus | 1 | F | - |
| CEEN K3H10 Klondike Plus | 1 | F | - |
| CEEN K3H15 Klondike Plus | 1 | F | - |
| CEEN K3H20 Klondike Plus | 1 | F | - |
| CEEN K3H25 Klondike Plus | 1 | F | - |
| CEEN KD312AF Klondike Plus | 1 | F | 5-3.1 |
| CEEN KD313AF Klondike Plus | 1 | F | 5-1.4 |
| CEEN KD314AF Klondike Plus | 1 | F | 2-1.2 |
| CEEN KD318B Klondike Plus | 1 | F | 5-3.1 |
| CEEN KD319AF Klondike Plus | 1 | F | 5-2 |
| | | | |
| CEEN CL110 Checklite | 1 | F | - |
| CEEN CL010 Checklite | 1 | F | - |
| CEEN CL110AF Checklite | 1 | F | - |
| CEEN CL112 Checklite | 1 | F | 5-3.1 |
| | | | |
| CEEN LW2XX LAW series, alternate nose pad | 1 | F | Various |
| CEEN LW210AF | 1 | F | - |
| | | | |
| CEEN DL 210AF Dallas Nuclear | 1 | F | - |
| CEEN DL 212AF Dallas Nuclear | 1 | F | 5-3.1 |
| CEEN DL 219AF Dallas Nuclear | 1 | F | 5-2 |
| CEEN DL 218B Dallas Nuclear | 1 | F | 5-3.1 |
| | | | |
| CEEN T4110AF Rubicon | 1 | F | ---- |
| CEEN T411G Rubicon | 1 | F | 5-3.1 |
| | | | |
| CEEN ST120 Storm | 1 | F | - |
| CEEN ST122AF Storm | 1 | F | 5-3.1 |
| CEEN ST124AF Storm | 1 | F | 2-1.2 |
| CEEN ST128 Storm | 1 | F | 5-3.1 |
| CEEN ST110 Storm | 1 | F | - |
| CEEN ST110AF Storm | 1 | F | - |
| CEEN ST122 Storm | 1 | F | 5-3.1 |

Spectacles

| Model | Optical class | Impact level | Scale number |
|------------------------|---------------|--------------|--------------|
| CEEN TM129 Tremor | 1 | F | 5-2 |
| CEEN TM14G Tremor | 1 | F | 5-3.1 |
| | | | |
| CEEN S2110AF Blackjack | 1 | F | - |
| CEEN S2112AF Blackjack | 1 | F | 5-3.1 |
| CEEN S2114AF Blackjack | 1 | F | 2-1.2 |
| | | | |
| CEEN SH152AF Shock | 1 | F | 5-3.1 |
| CEEN SH158B Shock | 1 | F | 5-3.1 |
| CEEN SH110AF Shock | 1 | F | - |
| CEEN SH112AF Shock | 1 | F | 5.3.1 |
| CEEN SH118B Shock | 1 | F | 5-3.1 |
| CEEN SH119AF Shock | 1 | F | 5-2 |
| | | | |
| CEEN IA150AF Inertia | 1 | F | - |
| CEEN IA152AF Inertia | 1 | F | 5-3.1 |
| CEEN IA154AF Inertia | 1 | F | 2-1.2 |
| CEEN IA158B Inertia | 1 | F | 5-3.1 |
| | | | |
| CEEN 9800 Yukon | 1 | F | - |
| CEEN 9802 Yukon | 1 | F | 5-3.1 |
| | | | |
| CEEN T1110AF Triwear | 1 | F | - |
| CEEN T1112AF Triwear | 1 | F | 5-3.1 |
| CEEN T111G Triwear | 1 | F | 5-3.1 |
| | | | |
| CEEN BK119 Bearkat | 1 | F | 5-2 |
| CEEN BK110 Bearkat | 1 | F | - |
| CEEN BK112 Bearkat | 1 | F | 5-3.1 |
| CEEN BK110AF Bearkat | 1 | - | - |
| | | | |
| CEEN CK210AF Checkmate | 1 | F | - |
| | | | |
| CEEN SS110 Stratos | 1 | F | - |
| CEEN SS010 Stratos | 1 | F | - |
| CEEN SS112 Stratos | 1 | F | 5-3.1 |
| | | | |
| CEEN TK110 Tomahawk | 1 | F | - |
| CEEN TK112 Tomahawk | 1 | F | 5-3.1 |
| CEEN TK110AF Tomahawk | 1 | F | - |

Spectacles

| Model | Optical class | Impact level | Scale number |
|-----------------------------------|---------------|--------------|--------------|
| CEEN RP210AF Reaper | 1 | F | - |
| CEEN RP212AF Reaper | 1 | F | 5-3.1 |
| CEEN RP218B Reaper | 1 | F | 5-3.1 |
| | | | |
| CEEN SR120 Swagger | 1 | F | 5-3.1 |
| CEEN SR122AF Swagger | 1 | F | 5-3.1 |
| CEEN SR128B Swagger | 1 | F | 5-3.1 |
| CEEN SR148B Swagger | 1 | F | 5-3.1 |
| | | | |
| CEEN Fire v2 | 1 | F | - |
| CEEN Fire v2 | 1 | F | 2-1.2 |
| CEEN Fire v2 | 1 | F | 5-2.5 |
| | | | |
| CEEN ABL110 ANTEOJO ATOX BLACKKAT | 1 | F | - |
| CEEN ABL112 ANTEOJO ATOX BLACKKAT | 1 | F | 5-3.1 |
| CEEN ABL114 ANTEOJO ATOX BLACKKAT | 1 | F | 2-1.2 |
| CEEN ABL119 ANTEOJO ATOX BLACKKAT | 1 | F | 5-2 |
| | | | |
| CEEN ADL110AF ANTEOJO ATOX DALLAS | 1 | F | - |
| CEEN ADL112AF ANTEOJO ATOX DALLAS | 1 | F | 5-3.1 |
| CEEN ADL114 ANTEOJO ATOX DALLAS | 1 | F | 2-1.2 |
| CEEN ADL119AF ANTEOJO ATOX DALLAS | 1 | F | 5-2 |

CEEN Fire v2 Model is marketed / marked either as Crews "C" or Parmelee "P" depending on sales channel.

Filtering Lenses for Spectacles

| | | |
|-----------------------------------|---------------------------|------------------------------|
| Brown / scale 5-3.1 | Blue mirror / scale 5-3.1 | Amber / scale 2-1.2 |
| Grey / scale 5-3.1 | Blue mirror / scale 5-2.5 | Emerald mirror / scale 5-3.1 |
| Blue diamond mirror / scale 5-3.1 | I/O mirror / scale 5-2 | Light Blue / scale 5-1.4 |

Goggles

| Model | Optical class | Impact level | Scale number |
|------------------------------|---------------|--------------|--------------|
| CEEN Prograde PGX 110AF PGX1 | 1 | B | - |
| CEEN 2320 AF Stryker | 1 | F | - |
| CEEN RP110AF Reaper | 1 | F | - |
| CEEN RP112AF Reaper | 1 | F | 5-3.1 |

Filtering Lenses for Goggles

Grey / scale 5-3.1

Face Shields

| Model | Optical class | Impact level |
|--|----------------------|---------------------|
| CEEN104 XO Skeleton head gear with clear polycarbonate visor | 2 | S |

NOTE: F = High speed particles - low energy
B = High speed particles - medium energy
S = Increased Robustness