

HUSTLER

STYLE & PERFORMANCE

Experience unmatched protection and comfort with HUSTLER, now eco-designed. Featuring a robust wraparound frame, it offers maximum protection for any environment. TIPGRIP temples and a non-slip nose bridge ensure optimal fit and enhanced comfort, keeping your eyewear securely in place. Enjoy crystal-clear vision with our PLATINUM Lite anti-scratch and anti-fog coating. Choose from CSP filtering lens options: Smoke, Polarized, or Cobalt Flash Polarized. Proudly crafted with 70% recycled materials in clear and smoke versions and 46% in polarized versions, HUSTLER is the most sustainable choice. Our eyewear uses recycled polycarbonate lenses (clear and smoke) and recycled nylon/EVA for the frame and temples, setting a new standard in eco-friendly protection.

31 G

- + CRYSTAL-CLEAR VISION WITH PLATINUM LITE: ANTI-SCRATCH & ANTI-FOG COATING
- + ROBUST WRAPAROUND FRAME FOR MAXIMUM PROTECTION
- + TIPGRIP TEMPLES AND NON-SLIP NOSE BRIDGE FOR OPTIMAL RETENTION AND ENHANCED COMFORT
- + CRAFTED WITH 70% RECYCLED MATERIALS IN CLEAR AND SMOKE VERSIONS AND 46% IN POLARISED VERSIONS



TECHNOLOGIES

CSP
POLARIZED
PLATINUM LITE

VERSIONS



HUSTLN10E



HUSTLN20E



HUSTLN50E



HUSTLN51E

bollé
SAFETY

GO GREEN

HUSTLER						
USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING <small>F: Glasses / B: Glasses with foam and strap kit</small>	COATING	STANDARD
☺	CLEAR	HUSTLN10E	2C-1.2 ☺ 1 FT CE	☺ EN166 FT CE ☺	PLATINUM LITE	EN166 - EN170 - UKCA
*	SMOKE	HUSTLN20E	5-3.1 ☺ 1 FT CE	☺ EN166 FT CE ☺	PLATINUM LITE	EN166 - EN172 - UKCA
*	COBALT FLASH POLARIZED	HUSTLN50E	5-3.1 ☺ 1 FT CE	☺ EN166 FT CE ☺	PLATINUM LITE	EN166 - EN172 - UKCA
*	SMOKE POLARIZED	HUSTLN51E	5-3.1 ☺ 1 FT CE	☺ EN166 FT CE ☺	PLATINUM LITE	EN166 - EN172 - UKCA

BOLLÉ SAFETY PRODUCT APPROVAL CERTIFICATES TO CE STANDARDS WILL BE SENT ON REQUEST.

PACKAGING & EAN13 CODE		
SINGLE: <small>Size: 28 x 11.5 x 4.4 mm</small>	INNER BOX: <small>Size: 29.7x16x9.7 cm Weight: 0.55 kg</small>	OUTER PACK: <small>Size: 60 x 50 x 40 cm Weight: 13.5 kg</small>
3660740020019	3660740120016 -10 pcs	3660740220013 -220 pcs
3660740020026	3660740120023 -10 pcs	3660740220020 -220 pcs
3660740021719	3660740121716 -10 pcs	3660740221713 -220 pcs
3660740021726	3660740121723 -10 pcs	3660740221720 -220 pcs
CUSTOM CODE: 9004901000		

GENERAL SPECIFICATIONS		
LENS	RECYCLED POLYCARBONATE - 2.2 MM	FOAM
CURVE	8 - VERY CURVED	STRAP
FRAME	RECYCLED NYLON/EVA - FULL FRAME	OPTIONAL



CLEANING & STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.



MADE IN: TW

DATASHEET: 07-30-2024


bolle-safety.com

Europe Headquarters
34 rue de la Soie
69100 Villeurbanne
France
P : 00 33 (0) 4 78 85 23 64

U.K. & Ireland
Unit C83 - Barwell Business Park
Leatherhead Road - Chessington
Surrey - KT9 2NY - UK
P : 00 44 (0)208 391 4700

USA Office
2810 Caribou Court, Suite 160
Carlsbad, CA 92010
United States of America
P : 800 222 6553

Asia-Pacific Office
32-40 Fairchild Street
Heatherton VIC 3202
Australia
P : 1300 138 098



PACKAGING

ECO-POLYBAG

Available on all Bollé Safety's eyewear (except B-Line: 50% recycled)

100% RECYCLED

100% RECYCLABLE







PRODUCT



70% OF THIS EYEWEAR IS RECYCLED

0.462 kgCO_{2e} EMISSIONS FOR A FULL PRODUCT LIFE CYCLE

32% CO₂ REDUCTION VS THE SAME STANDARD PRODUCT

VERSIONS	 HUSTLN10E	 HUSTLN20E	 HUSTLN50E	 HUSTLN51E
FRAME/TEMPLES COMPOSITION	RECYCLED NYLON / EVA	RECYCLED NYLON / EVA	RECYCLED NYLON / EVA	RECYCLED NYLON / EVA
LENS COMPOSITION	RECYCLED POLYCARBONATE	RECYCLED POLYCARBONATE	POLYCARBONATE	POLYCARBONATE
% OF TOTAL PRODUCT WEIGHT	70%	70%	46%	46%
CO ₂ Footprint	0,462 kgCO _{2e}	0,462 kgCO _{2e}	0,483 kgCO _{2e}	0,483 kgCO _{2e}
CO ₂ reduction VS standard product	32%	32%	29%	29%

SOURCES : ECOINVENT V3.8 (01/07/2024)

*8.7% reduction thanks to ECO-POLYBAG for 10 units in non-FSC-certified cardboard packaging compared with standard polybag